



MODEL PRADO

	S2	S2	EKO	EKO (2)	B / C	D	E	F
	ADORE	OASIS	BULL	BONANZA	TOLEDO	GRANADA	TOUCH	TRIBE
	ALABAMA	RELAX	HUNTER		(+ SPLIT)	KENIA		
	ALPINE	RENEGADE	JERSEY			RANCHO		
	BRAVE	RIVER	TEDDY			VINTAGE		
	FUSION	SILENT						
	JEEP	MIAMI						
	LEAF							
3+1½ OTTOMAN	2.590	2.590	2.682	2.772	3.208	3.632	3.632	4.116
3	1.308	1.308	1.352	1.400	1.620	1.832	1.832	2.076
2½	1.190	1.190	1.230	1.272	1.472	1.666	1.666	1.888
2	1.072	1.072	1.108	1.144	1.324	1.500	1.500	1.700
1½	952	952	984	1.018	1.178	1.332	1.332	1.510
1	834	834	862	890	1.030	1.166	1.166	1.322
3 L/R	1.190	1.190	1.230	1.272	1.472	1.666	1.666	1.888
2½ L/R	1.072	1.072	1.108	1.144	1.324	1.500	1.500	1.700
2 L/R	952	952	984	1.018	1.178	1.332	1.332	1.510
1½ L/R	834	834	862	890	1.030	1.166	1.166	1.322
1 L/R	714	714	738	764	884	1.000	1.000	1.134
3 ZA	1.072	1.072	1.108	1.144	1.324	1.500	1.500	1.700
2½ ZA	952	952	984	1.018	1.178	1.332	1.332	1.510
2 ZA	834	834	862	890	1.030	1.166	1.166	1.322
1½ ZA	714	714	738	764	884	1.000	1.000	1.134
1 ZA	596	596	616	636	736	834	834	944
RECHTE HOEK	952	952	984	1.018	1.178	1.332	1.332	1.510
1 OTTOMAN	1.286	1.286	1.328	1.374	1.590	1.800	1.800	2.038
1½ OTTOMAN	1.400	1.400	1.452	1.500	1.736	1.966	1.966	2.228
1½ LCH	1.072	1.072	1.108	1.144	1.324	1.500	1.500	1.700
HOCKER 1	470	470	486	504	582	658	658	746
HOCKER 2	394	394	406	420	486	550	550	624



MODEL PRADO

TECHNISCHE GEGEVENS

GERAAMTE	HARDHOUTEN REGELS + VEZELPLAAT
ZITTING	NOSAG VERING + HR 36 MEDIUM
RUG	ELASTISCHE SINGLE BAND + SG 25 HYPERSOFT
BEKLEDING	LEDER + LEDER MET STOF BOVENLAAG + STOF
POTEN	ZWART METAAL
STIKSEL	TON SUR TON, BEIGE, WIT, ZWART

MATEN(CM)	3	2½	2	1½	1		
BREED	230	210	180	140	110		
HOOG	85	85	85	85	85		
DIEP	97	97	97	97	97		

MATEN(CM)	3 L/R	2½ L/R	2 L/R	1½ L/R	1 L/R		
BREED	205	185	155	115	85		
HOOG	85	85	85	85	85		
DIEP	97	97	97	97	97		

MATEN(CM)	3 ZA	2½ ZA	2 ZA	1½ ZA	1 ZA		
BREED	180	160	130	90	60		
HOOG	85	85	85	85	85		
DIEP	97	97	97	97	97		

MATEN(CM)	RECHTE HOEK	1 OTTOMAN	1½ OTTOMAN	1½ LCH	HOCKER 1	HOCKER 2	
BREED	95	95	95	117	80	60	
HOOG	85	85	85	85	45	45	
DIEP	95	220	240	165	80	90	

